



*Alpha*

Alpha Analytical Laboratories, Inc.

email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

26 September 2019

Volcano CSD

Attn: George Barnes

P O Box 72

Volcano, CA 95689

RE: Routine - Coliform

Work Order: 19I2026

Enclosed are the results of analyses for samples received by the laboratory on 09/17/19 14:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Karen L. Lantz

Project Manager



Alpha Analytical Laboratories, Inc. email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)  
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD  
P O Box 72  
Volcano, CA 95689

Project Manager: George Barnes  
Project: Routine - Coliform  
Project Number: 0300016

Reported:  
09/26/19 06:12

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728  
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922  
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303  
San Diego Service Center: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510

#### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Odd Month: 0300016 Routine @ 16430 Clapboard	19I2026-01	Water	09/17/19 07:45	09/17/19 14:05



Alpha Analytical Laboratories, Inc. email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)  
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD P O Box 72 Volcano, CA 95689	Project Manager: George Barnes Project: Routine - Coliform Project Number: 0300016	Reported: 09/26/19 06:12
--	--	-----------------------------

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
<b>Odd Month: 0300016 Routine @ 16430 Clapboard (19I2026-01)</b>			<b>Sample Type: Water</b>			<b>Sampled: 09/17/19 07:45</b>		
<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>								
pH	6.79 pH Units	1.68	1	AI94019	09/17/19 16:30	09/17/19 16:30	SM4500-H+ B	T-14
Residual Chlorine	0.90 mg/L	0.10	1	AI94021	09/17/19 16:05	09/17/19 16:05	SM4500-Cl F	T-14
<b>Microbiological Parameters by APHA Standard Methods</b>								
Total Coliforms	Absent		1	1	AI93916	09/17/19 15:15	09/18/19 15:40	Colisure
E. Coli	Absent		1	1	AI93916	09/17/19 15:15	09/18/19 15:40	Colisure

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)  
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD  
P O Box 72  
Volcano, CA 95689

Project Manager: George Barnes  
Project: Routine - Coliform  
Project Number: 0300016

Reported:  
09/26/19 06:12

#### Notes and Definitions

A Absent

P Present

T-14 Residual chlorine, dissolved oxygen, sulfite, and pH must be analyzed in the field to meet the EPA specified 15 minute hold time.

ND Analyte NOT DETECTED at or above the reporting limit

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

# Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 19T2026 Pg \_\_\_\_\_ of \_\_\_\_\_

Report to		Invoice to (if different)		Project Information										Signature below authorizes work under terms stated on reverse side.																																																																													
Company: Volcano CSD		Contact:		Project ID: Coliform - Routine										<table border="1"> <tr> <th colspan="10">Analysis Request</th> <th colspan="2">TAT</th> <th colspan="2">Temp upon Receipt °C</th> </tr> <tr> <td colspan="10" rowspan="3">           Total Number of Containers per Sample ID            500mL            CV - PH            CV - Chlorine Residual            CV - PA            Courier         </td> <td colspan="2">Standard 10 days</td> <td colspan="2">Ukiah temp:</td> </tr> <tr> <td colspan="2">Standard 5 days</td> <td colspan="2" rowspan="2">Dublin temp:</td> </tr> <tr> <td colspan="2">X</td> </tr> <tr> <td colspan="2">Standard 48 hours</td> <td colspan="2">Elk Grove temp:</td> </tr> <tr> <td colspan="2">Other: _____ days</td> <td colspan="2">Lab preapproval required</td> <td colspan="2">2.8</td> </tr> <tr> <td colspan="2">Sample Notes or CDPH Source Numbers:</td> <td colspan="2"></td> <td colspan="10"></td> <td colspan="10"></td> </tr> </table>										Analysis Request										TAT		Temp upon Receipt °C		Total Number of Containers per Sample ID 500mL CV - PH CV - Chlorine Residual CV - PA Courier										Standard 10 days		Ukiah temp:		Standard 5 days		Dublin temp:		X		Standard 48 hours		Elk Grove temp:		Other: _____ days		Lab preapproval required		2.8		Sample Notes or CDPH Source Numbers:																							
Analysis Request										TAT		Temp upon Receipt °C																																																																															
Total Number of Containers per Sample ID 500mL CV - PH CV - Chlorine Residual CV - PA Courier										Standard 10 days		Ukiah temp:																																																																															
										Standard 5 days		Dublin temp:																																																																															
										X																																																																																	
Standard 48 hours		Elk Grove temp:																																																																																									
Other: _____ days		Lab preapproval required		2.8																																																																																							
Sample Notes or CDPH Source Numbers:																																																																																											
Attn: George Barnes		Email address:		Project No:																																																																																							
Address: PO Box 72 Volcano, CA 95689		Address:		PO Number:																																																																																							
Phone/Fax: 209-296-4888		Phone/Fax:		Internal Lab Use: 189, 189(a) & 190, 190(a)																																																																																							
Email Address:																																																																																											
Field Sampler - Printed Name & Signature:				Container		Preservative				Matrix																																																																																	
				40ml Vial	Poly	Glass	Sleeve	Other	HCl	HNO3	NaOH	Na2S2O3	None	Water DW	Soil	Other																																																																											
<b>Sample Identification</b>		<b>Sampling</b>																																																																																									
		Date	Time																																																																																								
EVEN MONTH: 0300046				X	X								X	X			1	X	X	X																																																																							
Routine - os country store				X							X			X			1		X																																																																								
ODD MONTH: 0300016		9-17-19	0845	X	X								X	X			1	X	X	X																																																																							
Routine @ 16430 Clapboard		1	0745	X							X		X				1		X																																																																								
Relinquished by		Received by		Date	Time	CDPH Write On EDT Transmission? Yes No																																																																																					
				9-17-19	1405	State System Number: _____																																																																																					
				If "Y" please enter the Source Number(s) in the column above																																																																																							
				Mail Hardcopy to DDW- ? Yes No																																																																																							
				Hardcopy to DDW attn:																																																																																							
				Travel and Site Time:		Mileage:		Misc. Supplies:																																																																																			

**FAXED**